



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office

NOTICE OF ALLOWANCE AND ISSUE FEE DUE

QM31/1025

ST ONGE STEWARD JOHNSTON & REENS
986 BEDFORD STREET
STAMFORD CT 06905-5619

APPLICATION NO. 09/077,150	FILING DATE 07/16/98	TOTAL CLAIMS 615	EXAMINER AND GROUP ART UNIT GOLDBERG, J	DATE MAILED 3731 10/25/98
First Named Applicant STORZ,		35 USC 154(b) term ext. = 0 Days.		
TITLE OF INVENTION SHAVING OR CUTTING INSTRUMENT				

ATTY'S DOCKET NO. 3 02561-F0023A	CLASS-SUBCLASS 606-159.000	BATCH NO. 100	APPLN. TYPE UTILITY	SMALL ENTITY NO	Fee DUE \$1210.00	DATE DUE 01/25/00
-------------------------------------	-------------------------------	------------------	------------------------	--------------------	----------------------	----------------------

THE APPLICATION IDENTIFIED ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT.
PROSECUTION ON THE MERITS IS CLOSED.

THE ISSUE FEE MUST BE PAID WITHIN THREE MONTHS FROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. THIS STATUTORY PERIOD CANNOT BE EXTENDED.

HOW TO RESPOND TO THIS NOTICE:

I. Review the SMALL ENTITY status shown above.

If the SMALL ENTITY is shown as YES, verify your current SMALL ENTITY status:

- A. If the status is changed, pay twice the amount of the FEE DUE shown above and notify the Patent and Trademark Office of the change in status, or
- B. If the status is the same, pay the FEE DUE shown above.

If the SMALL ENTITY is shown as NO:

- A. Pay FEE DUE shown above, or
- B. File verified statement of Small Entity Status before, or with, payment of 1/2 the FEE DUE shown above.

II. Part B-Issue Fee Transmittal should be completed and returned to the Patent and Trademark Office (PTO) with your ISSUE FEE. Even if the ISSUE FEE has already been paid by charge to deposit account, Part B Issue Fee Transmittal should be completed and returned. If you are charging the ISSUE FEE to your deposit account, section "4b" of Part B-Issue Fee Transmittal should be completed and an extra copy of the form should be submitted.

III. All communications regarding this application must give application number and batch number.

Please direct all communications prior to issuance to Box ISSUE FEE unless advised to the contrary.

IMPORTANT REMINDER: Utility patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due.

Notice of Allowability

Application No.

09/077,180

Applicant(s)

Storz et al.

Examiner

Jonathan Goldberg

Group Art Unit

3731



All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance and Issue Fee Due or other appropriate communication will be mailed in due course.

This communication is responsive to 10/12/99 *HPC*

The allowed claim(s) is/are 1-3, 6-10, and 12-18

The drawings filed on _____ are acceptable.

Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d).

All Some* None of the CERTIFIED copies of the priority documents have been received.

received in Application No. (Series Code/Serial Number) _____ .

received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

*Certified copies not received: _____ .

Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).

A SHORTENED STATUTORY PERIOD FOR RESPONSE to comply with the requirements noted below is set to EXPIRE THREE MONTHS FROM THE "DATE MAILED" of this Office action. Failure to timely comply will result in ABANDONMENT of this application. Extensions of time may be obtained under the provisions of 37 CFR 1.136(a).

Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL APPLICATION, PTO-152, which discloses that the oath or declaration is deficient. A SUBSTITUTE OATH OR DECLARATION IS REQUIRED.

Applicant MUST submit NEW FORMAL DRAWINGS

because the originally filed drawings were declared by applicant to be informal.

including changes required by the Notice of Draftsperson's Patent Drawing Review, PTO-948, attached hereto or to Paper No. 8 .

including changes required by the proposed drawing correction filed on Oct 12, 1999, which has been approved by the examiner.

including changes required by the attached Examiner's Amendment/Comment.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the reverse side of the drawings. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Any response to this letter should include, in the upper right hand corner, the APPLICATION NUMBER (SERIES CODE/SERIAL NUMBER). If applicant has received a Notice of Allowance and Issue Fee Due, the ISSUE BATCH NUMBER and DATE of the NOTICE OF ALLOWANCE should also be included.

Attachment(s)

Notice of References Cited, PTO-892

Information Disclosure Statement(s), PTO-1449, Paper No(s). _____

Notice of Draftsperson's Patent Drawing Review, PTO-948

Notice of Informal Patent Application, PTO-152

Interview Summary, PTO-413

Examiner's Amendment/Comment

Examiner's Comment Regarding Requirement for Deposit of Biological Material

Examiner's Statement of Reasons for Allowance

Art Unit: 3731

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
2. The proposed changes to the drawings, submitted on 12 October 1999, have been approved by the examiner. New formal drawing should now be submitted.
3. The application has been amended as follows:

In the specification, **insert the abstract**:

Abstract of the Disclosure

A cutting apparatus is provided with both a rotating inner blade and a stationary outer blade at its distal end and is connected to a drive unit disposed in the proximal region. The outer blade is spaced from the inner blade to form an irrigation passage through which an irrigation liquid is passed. A flushing duct is provided for fluid communication to the distal end. Additionally, a suction passage is provided to exhaust tissue particles.

Examiner's Comment - Specification

4. Should the applicant wish to modify the suggested abstract, the applicant is reminded of the proper language and format for an abstract of the disclosure.

Art Unit: 3731

The abstract should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 250 words. It is important that the abstract not exceed 250 words in length since the space provided for the abstract on the computer tape used by the printer is limited. The form and legal phraseology often used in patent claims, such as "means" and "said," should be avoided. The abstract should describe the disclosure sufficiently to assist readers in deciding whether there is a need for consulting the full patent text for details.

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The disclosure describes," etc. The title should not be repeated within the body of the abstract.

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jonathan (Jon) Goldberg whose telephone number is (703) 308-0161. The examiner can normally be reached Monday through Friday from 8:00 AM to 3:00 PM (ET).


If attempts to reach the examiner by telephone are unsuccessful. The examiner's supervisor, Michael Buiz, can be reached at (703)308-0871. The Group FAX number is (703) 308-2708

Any inquiry of a general nature or relating to the status of the application should be directed to the Group receptionist at (703) 308-0858.


Jonathan D. Goldberg

10/22/99


MICHAEL BUIZ
SUPERVISORY PATENT EXAMINER
GROUP 3300


10/21/99